TABLE OF CONTENTS

| Visualizer . | | 2 |
|---------------------|-------------|---|
| Goosene | ck Rotating | 5 |
| Robotic A | Arm | 6 |

VISUALIZER



AOV OP-610H

5 million pixel resolution 900TV line; total zoom 290 times HDMI input and 1 output, VGA signal 2 inputs and 2 outputs, audio 2 inputs and 1 output, 1 microphone input, 1 composite video output, 1 RS-232 The control lens can be rotated by 350° horizontally and vertically. Both side lights and bottom lights adopt LED lights, which are energy-saving, environmentally friendly and durable.

Read More

SKU: AOV OP-610H



AOV OP-810H

5 million pixels, equipped with HDMI and VGA in/out interface

Read More

SKU: N/A

| | Storage | 20 images |
|--|-----------------------|--|
| neck Visualizer OP-810H Series | Mode Save/Recall | Yes |
| HOCK VISUALIZED OF -OTOH SCIES | Auto-correction | Yes |
| | 16:9 Display | Yes |
| a Pixel, HDMI, VGA in/out solution or full HD 1080P | VGA output definition | 1080P - 1360*768 - 1280*1024 - 1024*768 |
| DF, Security lock | Video Resolution | 1600*1200 |
| ve/recall | Video Format | Video Format WMA, AVI, MP4 |
| magnetic light stick | Picture Format | JPG, BMP, PNG, J2K, JP2, JPC, RAS, TGA |
| hung on the wall design, easy to carry | Software functions | Control, Effect, Draw, Scan, Auto Scan, Record, Configure |
| | Compatible system | Windows XP/7/8, Linux |
| | Control | Front panel, Remote control, Software and OSD menu |
| | VGA input | 1 |
| | VGA output | 1 |
| | HDMI output | Yes |
| | Video output | 1 |
| | // USB output | Yes |
| | DC-12V output | 1 |
| | Security Lock | Yes |
| | RS 232 port | 1 |
| | | Set up-215v195v465mm |



AOV OP-800AF 5 MILLION PIXELS-PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

Product appearance: hose type

Camera: 5 million resolution 2592*1944 AF auto focus

Shooting size: A4

Output document format: PDF/WORD/TXT

Fill light: key-space three-gear dimming 4 high-bright LED fill light

Photosensitive element: HD CMOS

Focusing method: auto focus

File format: Picture JPG*TIF*BMP*TGA*PCX*PNG*RAS Video: AVI, WMV

Standard interface: USB2.0

Feet inches: bottom box 139x90x36mm, focusing cap Neck

length 479mm

Operating system: Windows XP, Windows2003, Vista, Windows 7/8/10

(iMac/MacBook is not supported)



AOV OP-1050AF AMERICAN 10-MEGAPIXEL PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

The product adopts foldable and portable design, easy to move office and teaching. It has a 10-megapixel camera to meet the needs of customers for high-resolution and high-resolution. Support HDMI connection for physical display, card storage can be inserted, high-definition high frame rate, smooth picture without smear.

Lens pixels: 10 million, resolution 3648×2736

Shooting size: A3/A4

Scanning media: Books, notebooks, homework, test papers, handwriting

teaching plans, experimental devices, etc.

Scanning format: JPG, TIF, BMP, TGA, PCX, PNG, RAS

Output format: PDF, WORD, TXT

video formats: AVI, MP4

interface type type: USB2.0 to PC * 1, USB2.0 * 1, HDMI_OUT * 1, MIC *

1, TF card slot

light compensation: the touch fill light LED (Three-level adjustment) Operating system: Windows 10/8/7/XP (Only general scan function is

supported under Mac system)

GOOSENECK ROTATING



AOV OP-800AF 5 MILLION PIXELS-PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

Product appearance: hose type

Camera: 5 million resolution 2592*1944 AF auto focus

Shooting size: A4

Output document format: PDF/WORD/TXT

Fill light: key-space three-gear dimming 4 high-bright LED fill light

Photosensitive element: HD CMOS

Focusing method: auto focus

File format: Picture JPG*TIF*BMP*TGA*PCX*PNG*RAS Video: AVI, WMV

Standard interface: USB2.0

Feet inches: bottom box 139x90x36mm, focusing cap Neck

length 479mm

Operating system: Windows XP, Windows2003, Vista, Windows 7/8/10

(iMac/MacBook is not supported)

ROBOTIC ARM



AOV OP-610H

5 million pixel resolution 900TV line; total zoom 290 times HDMI input and 1 output, VGA signal 2 inputs and 2 outputs, audio 2 inputs and 1 output, 1 microphone input, 1 composite video output, 1 RS-232 The control lens can be rotated by 350° horizontally and vertically. Both side lights and bottom lights adopt LED lights, which are energy-saving, environmentally friendly and durable.

Read More

SKU: AOV OP-610H



AOV OP-810H

5 million pixels, equipped with HDMI and VGA in/out interface

Read More

SKU: N/A





AOV OP-1050AF AMERICAN 10-MEGAPIXEL PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

The product adopts foldable and portable design, easy to move office and teaching. It has a 10-megapixel camera to meet the needs of customers for high-resolution and high-resolution. Support HDMI connection for physical display, card storage can be inserted, high-definition high frame rate, smooth picture without smear.

Lens pixels: 10 million, resolution 3648×2736

Shooting size: A3/A4

Scanning media: Books, notebooks, homework, test papers, handwriting

teaching plans, experimental devices, etc.

Scanning format: JPG, TIF, BMP, TGA, PCX, PNG, RAS

Output format: PDF, WORD, TXT

video formats: AVI, MP4

interface type type: USB2.0 to PC * 1, USB2.0 * 1, HDMI_OUT * 1, MIC *

1, TF card slot

light compensation: the touch fill light LED (Three-level adjustment) Operating system: Windows 10/8/7/XP (Only general scan function is

supported under Mac system)

INDEX

Α

AOV OP-1050AF American 10-megapixel physical projector supports English OCR/supports WIN10 $3,\,6$

AOV OP-610H 1, 5

AOV OP-800AF 5 million pixels-physical projector supports English OCR/supports WIN10 2, 4 AOV OP-810H 1, 5