

TABLE OF CONTENTS

Visualizer 2

 Gooseneck Rotating 5

 Robotic Arm 6

VISUALIZER



AOV OP-610H

5 million pixel resolution 900TV line; total zoom 290 times HDMI input and 1 output, VGA signal 2 inputs and 2 outputs, audio 2 inputs and 1 output, 1 microphone input, 1 composite video output, 1 RS-232 The control lens can be rotated by 350° horizontally and vertically. Both side lights and bottom lights adopt LED lights, which are energy-saving, environmentally friendly and durable.

[Read More](#)

SKU: AOV OP-610H



AOV OP-810H

5 million pixels, equipped with HDMI and VGA in/out interface

[Read More](#)

SKU: N/A

eneck Visualizer OP-810H Series

5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMV, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, Raw, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMV, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, Raw, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMV, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, Raw, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

Size: 211*145*85mm

AOV OP-800AF 5 MILLION PIXELS- PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

Product appearance: hose type

Camera: 5 million resolution 2592*1944 AF auto focus

Shooting size: A4

Output document format: PDF/WORD/TXT

Fill light: key-space three-gear dimming 4 high-bright LED fill light

Photosensitive element: HD CMOS

Focusing method: auto focus

File format: Picture JPG*TIF*BMP*TGA*PCX*PNG*RAS Video: AVI, WMV

Standard interface: USB2.0

Feet inches: bottom box 139x90x36mm, focusing cap Neck length 479mm

Operating system: Windows XP, Windows2003, Vista, Windows 7/8/10 (iMac/MacBook is not supported)

[Read More](#)
SKU: N/A





AOV OP-1050AF AMERICAN 10-MEGAPIXEL PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

The product adopts foldable and portable design, easy to move office and teaching. It has a 10-megapixel camera to meet the needs of customers for high-resolution and high-resolution. Support HDMI connection for physical display, card storage can be inserted, high-definition high frame rate, smooth picture without smear.

Lens pixels: 10 million, resolution 3648×2736

Shooting size: A3/A4

Scanning media: Books, notebooks, homework, test papers, handwriting teaching plans, experimental devices, etc.

Scanning format: JPG, TIF, BMP, TGA, PCX, PNG, RAS

Output format: PDF , WORD, TXT

video formats: AVI, MP4

interface type type: USB2.0 to PC * 1, USB2.0 * 1, HDMI_OUT * 1, MIC * 1, TF card slot

light compensation: the touch fill light LED (Three-level adjustment)

Operating system: Windows 10/8/7/XP (Only general scan function is supported under Mac system)

[Read More](#)

SKU: N/A



GOOSENECK ROTATING

AOV OP-800AF 5 MILLION PIXELS- PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

Product appearance: hose type

Camera: 5 million resolution 2592*1944 AF auto focus

Shooting size: A4

Output document format: PDF/WORD/TXT

Fill light: key-space three-gear dimming 4 high-bright LED fill light

Photosensitive element: HD CMOS

Focusing method: auto focus

File format: Picture JPG*TIF*BMP*TGA*PCX*PNG*RAS Video: AVI, WMV

Standard interface: USB2.0

Feet inches: bottom box 139x90x36mm, focusing cap Neck length 479mm

Operating system: Windows XP, Windows2003, Vista, Windows 7/8/10
(iMac/MacBook is not supported)

[Read More](#)
SKU: N/A



ROBOTIC ARM

AOV OP-610H

5 million pixel resolution 900TV line; total zoom 290 times HDMI input and 1 output, VGA signal 2 inputs and 2 outputs, audio 2 inputs and 1 output, 1 microphone input, 1 composite video output, 1 RS-232 The control lens can be rotated by 350° horizontally and vertically. Both side lights and bottom lights adopt LED lights, which are energy-saving, environmentally friendly and durable.

[Read More](#)
SKU: AOV OP-610H



AOV OP-810H

5 million pixels, equipped with HDMI and VGA in/out interface

[Read More](#)
SKU: N/A





5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1
VGA output	1
HDMI output	Yes
Video output	1
USB output	Yes
DC-12V output	1
Security Lock	Yes
RS 232 port	1

		
--	---	---



5 million Pixel, HDMI, VGA in/out resolution or full HD 1080P
PDF, Security lock
save/recall
a magnetic light stick
is hung on the wall
it design, easy to carry

Storage	20 images
Mode Save/Recall	Yes
Auto-correction	Yes
16:9 Display	Yes
VGA output definition	1080P - 1360*768 - 1280*1024 - 1024*768
Video Resolution	1600*1200
Video Format	Video Format: WMA, AVI, MP4
Picture Format	JPG, BMP, PNG, J2K, JP2, JPC, RA8, TGA
Software functions	Control, Effect, Draw, Scan, Auto-Scan, Record, Configure
Compatible system	Windows XP/7/8, Linux
Control	Front panel, Remote control, Software and OSD menu
VGA input	1



AOV OP-1050AF AMERICAN 10-MEGAPIXEL PHYSICAL PROJECTOR SUPPORTS ENGLISH OCR/SUPPORTS WIN10

The product adopts foldable and portable design, easy to move office and teaching. It has a 10-megapixel camera to meet the needs of customers for high-resolution and high-resolution. Support HDMI connection for physical display, card storage can be inserted, high-definition high frame rate, smooth picture without smear.

Lens pixels: 10 million, resolution 3648×2736

Shooting size: A3/A4

Scanning media: Books, notebooks, homework, test papers, handwriting teaching plans, experimental devices, etc.

Scanning format: JPG, TIF, BMP, TGA, PCX, PNG, RAS

Output format: PDF , WORD, TXT

video formats: AVI, MP4

interface type type: USB2.0 to PC * 1, USB2.0 * 1, HDMI_OUT * 1, MIC * 1, TF card slot

light compensation: the touch fill light LED (Three-level adjustment)

Operating system: Windows 10/8/7/XP (Only general scan function is supported under Mac system)

[Read More](#)

SKU: N/A



INDEX

A

AOV OP-1050AF American 10-megapixel physical projector supports English OCR/supports WIN10
3, 6

AOV OP-610H 1, 5

AOV OP-800AF 5 million pixels-physical projector supports English OCR/supports WIN10 2, 4

AOV OP-810H 1, 5