

TABLE OF CONTENTS

- 影音設備 2
 - 媒體音響 2
 - 無線影音分享器 4
 - 網絡鏡頭 10
 - 電子設備 12

影音設備



媒體音響



EPOS EXPAND SP 30 無線藍牙電話音響

便攜式，無線，藍牙免提電話音響，具有出色的音頻性能。支持最多8人的個人會議和中小型會議。UC優化。

不包括用於PC /軟件電話的Bluetooth USB加密狗。

[Read More](#)

SKU: N/A



無線影音分享器

EZCast® Omni One
無線同屏器



雲端更新



支援HDMI
/USB-C DP



傳輸安全

EZCAST OMNI ONE 1080P 無線同屏器 雙天線 超長距離傳輸


這是一款下一代無線顯示解決方案，具有穿透障礙傳輸、超長 800M 傳輸和 60ms 以下超低延遲等強大功能。

- ☑ 主要特點：
- ☑ 高達800公尺的無線傳輸
- ☑ 採用雙天線設計，穿透障礙物
- ☑ 即時視訊和音訊同步延遲 60ms
- ☑ 智慧頻道跳躍，實現穩定、無幹擾的訊號
- ☑ OTA 雲端更新，實現即時軟體升級
- ☑☑ 支援1 對 4 多螢幕顯示，需額外購買接收器（標配1 對 1）

[Read More](#)

SKU: N/A

EZCast® 無線投屏
支援AirPlay及TYPE-C



Pocket Plus TYPE-C
適用 手機/平板/Notebook

EZCAST POCKET PLUS WIFI DONGLE 1080P無線投影同屏器 TYPE-C ☑可直接AIRPLAY

支援TYPE-C接口的1080P無線投屏器，同時支援手機/平板/電腦AirPlay無線投屏到接收器。多種連接方式，免卻你的麻煩。

[Read More](#)

SKU: N/A

EZCast® Pocket Prime
無線同屏器



一分為二 支援HDMI WIFI 5GHz

EZCAST POCKET PRIME 無線同屏器☒一分為二☒兼容主流操作系統

無線投屏，一分為二，即插即投，兼容各大主流操作系統(Windows/Mac/iOS/Android)

[Read More](#)

SKU: N/A



-13%

無線投影傳輸器套組
PJ-WPD-700



1080P
Full HD

USB Type-C



VIEWSONIC PJ-WPD-700 無線投屏器

無線投影傳輸器套組

- 隨插即用，無需另外設定網路或安裝軟體
- 支援點對點連接功能，專屬網路安全又方便
- 輸入延遲低於 80 毫秒，支援 1080p 高清解析度
- 支援無線投影 Netflix、Disney+ 等串流影音平台
- 無線投影距離可達 30 公尺，擺脫訊號線長度限制
- USB-C 直接連接，無需另接轉接頭，操作更簡單
- 一鍵切換投影畫面，支援同時與多達 8 台裝置配對
- 輕巧好攜帶，走到哪投到哪

[Read More](#)

SKU: N/A



無線投屏



Mate 2 HDMI Vision
適用 電腦/Notebook

EZCAST MATE2 HDMI版本 1080P無線同屏器【投屏時MATE2無需連接WI-FI❑無需安裝軟件❑可投屏電腦網上媒體視頻】

無線投屏時，MATE2無需連接WI-FI，電腦/NOTEBOOK無需安裝軟件

（信號接收器及發射器自動連接）

輸出接口（電腦/notebook）：HDMI接口

接收信號接口（顯示屏幕）：HDMI接口

[Read More](#)

SKU: N/A



無線投屏



Mate 2 TYPE-C Vision
適用 手機/平板/Notebook

EZCAST MATE2 TYPE-C版本 1080P無線同屏器【無需安裝軟件/可投屏NETFLIX視頻/支援IPAD PRO 2020】

只需具有支持DP協議的Type-C接口，無論電腦/平板/手機/notebook，一插入接口就投射屏幕畫面，而且無需安裝軟件。

（信號接收器及發射器自動連接）

輸出接口（電腦/平板/手機/notebook）：支持DP協議的Type-C接口

接收信號接口（顯示屏幕）：HDMI接口

[Read More](#)

SKU: N/A

4K屏幕分享器

SKU: ddb821076ac4



Model	G2CST Mini Box
Main Chip	ARM@70
Network	802.11AC 2.4G/5GHz 2T2R Bluetooth, RJ-45 10/100/1000 Ethernet
Display Output	HDMI 304x2160(2K) 1920x1080@60p, 1280x720@60p
Function	G2CST, G2AK, DLNA, Miracast, Google Home, Voice Control
Support OS	Android / iOS / Windows / MacOS / ChromeOS
Color	White
Power	DC5V / 2A

EZCAST 2 WIFI DONGLE 4K屏幕投射器

EZCast 2 是一款萬用型4K視頻同屏器，它擁有雙核處理器，雙解碼器，和2.4G/5G雙頻無線網路。

[Read More](#)

SKU: EZCast 2





4K無線屏幕分享器

[Read More](#)

SKU: d2420b05b3a2

網絡鏡頭



LOGITECH BRIO ULTRA HD PRO 商務網路視像鏡頭

優質 4K 網路攝影機，具備 HDR 並支援 Windows® Hello

[Read More](#)

SKU: N/A



LOGITECH RALLY PTZ 會議視像鏡頭

RALLY CAMERA

優異的 PTZ 攝影機具備 Ultra-HD 成像系統與攝影機自動控制功能

[Read More](#)

SKU: logitech-rally-ptz-camera

LOGITECH MEETUP 全功能會議視像鏡頭

MEETUP

配備超廣角鏡頭，適合小房間使用的全功能會議攝影機

[Read More](#)

SKU: Logitech Meetup

AOV AV-101 1080P網絡會議鏡頭 適合觸控屏幕使用

1080P網絡會議定焦鏡頭，適合觸控屏幕使用

[Read More](#)

SKU: N/A

電子設備

CE-CVAD HDMI AUDIO DE-EMBEDDER

a small-size HDMI 2.0 audio de-embedder with 1 HDMI input, 1 HDMI output, and three kinds of audio outputs.

It is designed to extract audio from 4K HDMI signal via stereo balanced L/R audio, analog RCA, and coaxial digital audio output

ports. It supports 4K@60Hz 4:4:4 HDR, EDID & CEC pass-through, and the transmission rate is up to 18Gbps.

[Read More](#)
SKU: 481



ACHD-EX50 HDMI EXTENDER

a consumer HDMI extender, enable to distribute 1080P HDMI signal maximum to 180ft/55m by cat 6 cable, it supports 1 HDMI local out and bi-directional IR control, the POC function saves the power for the Rx, and build-in EDID makes it good compatibility.

[Read More](#)
SKU: 483



WUH4T HDBASET HUB

4K 4×1 HDBaseTHub

[Read More](#)
SKU: 465



4K/30Hz/4:4:4 and 1080p :
plant.
jgh.
switching.
up to 4K 40m and 1080p ;
ovides 24V PoC to power

eo output from either HDB
d RS232.

HDBT850T HDBASET EXTENDER TRANSMITTER

HDBT850 is an ultra-thin HDBaseT Extender set that consists of a transmitter (HDBT850T) and a receiver (HDBT850R), it enables to distribute 1080P HDMI signal up to 131ft/40m, 4K HDMI signal up to 230ft/70m over single CAT5e/6 cable. It supports CEC, bi-directional RS232&IR control, and bi-directional PoH function.

[Read More](#)
SKU: 466



HDBT850R HDBASET EXTENDER RECEIVER



HDBT850 is an ultra-thin HDBaseT Extender set that consists of a transmitter (HDBT850T) and a receiver (HDBT850R), it enables to distribute 1080P HDMI signal up to 131ft/40m, 4K HDMI signal up to 230ft/70m over single CAT5e/6 cable. It supports CEC, bi-directional RS232&IR control, and bi-directional PoH function.

[Read More](#)
SKU: 467



HDBT800TV-4KU WALL PLATE TRANSMITTER



a 2×1 wall plate transmitter for HDMI or VGA/audio signal, transmission at 230ft/70m, PoH function.

[Read More](#)
SKU: 469



PA40W DIGITAL AMPLIFIER

a compact-size digital amplifier (Class-D) with 3 inputs (2 line in and 1 balanced MIC). It is integrated with powerful functions, including bridge connection, dual-mono, EQ control, microphone mixer etc.

[Read More](#)
SKU: 470



SCU42T-CODEC SCALER SWITCHER

4k Scaler Switcher with soft codec

[Read More](#)
SKU: 473





BYOD-E MULTIFORMAT PRESENTATION SWITCHER

4K 4×1 Multifunction Presentation Switcher

[Read More](#)

SKU: 472



- Supports up to 4K@60Hz 4x4 HDMI multi-format video.
- 4K@60Hz 4x4 HDMI.
- HDMI, Mini-DP, USB-C, 4K@60Hz for a wide range of devices.
- Advanced high-speed video and audio.
- Forwarded via HDMI A and Mini-DP.
- 4K@60Hz video output.
- Supports up to 4K@60Hz video.



SC61TS-D KIT SCALER SWITCHER

1080p 6×1 seamless scaler switcher with DP.

[Read More](#)

SKU: 474



- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output with 1080p 60Hz.
- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output.
- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output.
- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output.
- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output.
- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output.
- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output.
- Supports up to 1080p 60Hz 6x1 HDMI 1.4/2.0 output.



MUH44-H2 MATRIX SWITCHER

4×4 HDMI 2.0 Matrix w/ Audio Matrix

[Read More](#)
SKU: 471



MUH44-H2 Matrix Switcher
4Kx4K HDMI 2.0 HDCP2.2
Matrix, audio out can be embedded from arbitrary input
Up to 100% volume adjustment on each 1/4 output
RS-485 for 100% down scaling up to 2 outputs
x1 provides 2.0W to power Active Optical Cable (AOC)
Matrix by front panel, RS-485 and TCP/IP

WUH4-HUB SOFT CODEC WITH KVM

HDMI 2.0 4×1 Soft codec with KVM

[Read More](#)
SKU: 476



1. 4Kx4K HDMI 2.0
2. Compatible with Windows, Linux and Mac OS
3. 4Kx4K HDMI 2.0 with HDCP 2.2 support
4. 4Kx4K HDMI 2.0 with HDCP 2.2 support
5. 4Kx4K HDMI 2.0 with HDCP 2.2 support
6. 4Kx4K HDMI 2.0 with HDCP 2.2 support
7. 4Kx4K HDMI 2.0 with HDCP 2.2 support
8. 4Kx4K HDMI 2.0 with HDCP 2.2 support
9. 4Kx4K HDMI 2.0 with HDCP 2.2 support
10. 4Kx4K HDMI 2.0 with HDCP 2.2 support



SC-GRHU SWITCHER WITH KVM

HDMI 2.0 4×1 Switcher with KVM USB3.0

[Read More](#)

SKU: 475



Model	SC-GRHU
Product Type	4K HDMI 2.0 4x1 Switcher with KVM USB3.0
Resolution	4K (3840x2160) @ 60Hz
Input/Output	4x HDMI 2.0 Input, 1x HDMI 2.0 Output
Control	Remote Control, Front Panel Buttons
Power	12V DC, 1.5A
Dimensions	150mm (W) x 100mm (H) x 30mm (D)
Weight	0.5kg
Warranty	3 Years

SCU41-MV SEAMLESS SWITCHER

4K 4×1 Seamless Switcher with Multi-view

[Read More](#)


SKU: 477



WUH4ARC-H2 HDMI SWITCHER

a HDMI 2.0 4×1 HDMI switcher with 4 HDMI inputs and 1 HDMI output.


[Read More](#)
SKU: 478



CE-MX44 HDMI MATRIX

- 4K compact-size 4x4 HDMI matrix.
- HDMI 1.4 and HDCP 2.2 support.
 - Resolution up to 4K@60Hz 4:2:0.
 - Smart EDID Management.
 - Buttons, RS232 and IR control.

[Read More](#)
SKU: 479



SUH4E-H2 HDMI SPLITTER

HDMI2.0 Splitter w/Down-scaling

- ITE solution, 1x4 splitter
- HDMI 2.0, HDCP2.2, 4K/60Hz 4:4:4, HDR
- Output 4K to 1080P auto down-scaling
- Built-in signal equalizer
- CEC control & 4-pin DIP switch for various EDID settings
- HDMI output support HDCP Active or Passive mode
- Up to 8 levels cascading

[Read More](#)

SKU: 480



TPUH701T HDMI WALLPLATE TRANSMITTER

HDMI2.0 wallplate transmitter

[Read More](#)

SKU: 482



UHBT404F KIT HDBASET MATRIX KIT



a 4X4 HDMI to HDBaseT matrix solution kit, included 4 receivers, 4 HDBaseT and 1 HDMI outputs. It support HDMI 1.4 and HDCP 2.2, can transmit 4K@60Hz 4:2:0 video up to 131ft/40m and 1080P up to 230ft/70m over a single CAT5e/6 cable, and support bi-directional IR extension. Multiple control by buttons, IR, RS232 and GUI.

[Read More](#)

SKU: 468



AOV HW1800HD HDMI無線影音傳送器



產品由發送器和接收器兩部分組成，可將HDMI高清信號從發送端無線傳送到接收端。

發送器支持一路HDMI鏡像輸出，方便源端畫面監視。

HDMI分辨率支持480i/576i~1080P@50/60Hz，SVGA~WUXGA多種常用電腦解像度。

採用國際通用2.4G/5G無線雙頻段傳輸信號，傳輸速度更快，抗干擾能力更強
採用外置雙增益天線，超長距離傳輸，空曠傳輸距離可達100米（*可能受使用環境影響）

支持紅外遙控遠程擴展，可在顯示端遠距離控制源端設備。

支持OSD顯示，隨時了解設備狀態。

純硬件模式，即插即用，連接電腦免安裝驅動。

支持WEB配置界面，簡潔易用。

[Read More](#)

SKU: 324



TPUH610SR + PSU HDMI2.0 EXTENDER OVER HDBT

HDMI2.0 extender over HDBT (Working together with TPUH701T)

[Read More](#)
SKU: 487



INDEX

A

ACHD-EX50 HDMI extender 11
AOV AV-101 1080P網絡會議鏡頭 適合觸控屏幕使用 10
AOV HW1800HD HDMI無線影音傳送器 20

B

BYOD-E Multiformat Presentation Switcher 15

C

CE-CVAD HDMI audio de-embedder 11
CE-MX44 HDMI matrix 18

E

EPOS EXPAND SP 30 無線藍牙電話音響 2
EZCast 2 WiFi Dongle 4K屏幕投射器 7
EZCast MATE2 HDMI版本 1080p無線同屏器【投屏時MATE2無需連接WI-FI☒無需安裝軟件 可投屏電腦網上媒體
視頻】 5
EZCast MATE2 TYPE-C版本 1080p無線同屏器【無需安裝軟件/可投屏Netflix視頻/支援iPad pro 2020】 5
EZCast MiniBox 4K屏幕分享器 6
EZCast Omni One 1080P 無線同屏器 雙天線 超長距離傳輸 3
EZCast Pocket Plus WiFi Dongle 1080P無線投影同屏器 TYPE-C ☒可直接AirPlay 3
EZCast Pocket Prime 無線同屏器 一分為二 兼容主流操作系統 4
EZCast Ultra 4K無線屏幕分享器 8

H

HDBT800TV-4KU wall plate transmitter 13
HDBT850R HDBaseT Extender Receiver 13
HDBT850T HDBaseT Extender Transmitter 12

L

LOGITECH BRIO ULTRA HD PRO 商務網路視像鏡頭 9
LOGITECH MEETUP 全功能會議視像鏡頭 10
LOGITECH RALLY PTZ 會議視像鏡頭 9

M

MUH44-H2 Matrix Switcher 16

P

PA40W digital amplifier 14

S

SC-GRHU Switcher with KVM 17
SC61TS-D KIT scaler switcher 15

SCU41-MV Seamless Switcher 17

SCU42T-CODEC Scaler Switcher 14

SUH4E-H2 HDMI Splitter 19

T

TPUH610SR + PSU HDMI2.0 extender over HDBT 21

TPUH701T HDMI wallplate transmitter 19

U

UHBT404F KIT HDBaseT matrix kit 20

V

ViewSonic PJ-WPD-700 無線投屏器 4

W

WUH4-HUB Soft codec with KVM 16

WUH4ARC-H2 HDMI switcher 18

WUH4T HDBaseT Hub 12