

TABLE OF CONTENTS

電子設備 2

電子設備

CE-CVAD HDMI AUDIO DE-EMBEDDER



a small-size HDMI 2.0 audio de-embedder with 1 HDMI input, 1 HDMI output, and three kinds of audio outputs.

It is designed to extract audio from 4K HDMI signal via stereo balanced L/R audio, analog RCA, and coaxial digital audio output

ports. It supports 4K@60Hz 4:4:4 HDR, EDID & CEC pass-through, and the transmission rate is up to 18Gbps.

[Read More](#)

SKU: 481



ACHD-EX50 HDMI EXTENDER



a consumer HDMI extender, enable to distribute 1080P HDMI signal maximum to 180ft/55m by cat 6 cable, it supports 1 HDMI local out and bi-directional IR control, the POC function saves the power for the Rx, and build-in EDID makes it good compatibility.

[Read More](#)

SKU: 483



WUH4T HDBASET HUB

4K 4×1 HDBaseTHub

[Read More](#)
SKU: 465



4K/30Hz/4:4:4 and 1080p
plant.
ugh.
switching.
up to 4K 40m and 1080p
rovides 24V PoC to power

eo output from either HDB
d RS232.

HDBT850T HDBASET EXTENDER TRANSMITTER

HDBT850 is an ultra-thin HDBaseT Extender set that consists of a transmitter (HDBT850T) and a receiver (HDBT850R), it enables to distribute 1080P HDMI signal up to 131ft/40m, 4K HDMI signal up to 230ft/70m over single CAT5e/6 cable. It supports CEC, bi-directional RS232&IR control, and bi-directional PoH function.

[Read More](#)
SKU: 466



HDBT850R HDBASET EXTENDER RECEIVER



HDBT850 is an ultra-thin HDBASET Extender set that consists of a transmitter (HDBT850T) and a receiver (HDBT850R), it enables to distribute 1080P HDMI signal up to 131ft/40m, 4K HDMI signal up to 230ft/70m over single CAT5e/6 cable. It supports CEC, bi-directional RS232&IR control, and bi-directional PoH function.

[Read More](#)
SKU: 467



HDBT800TV-4KU WALL PLATE TRANSMITTER



a 2×1 wall plate transmitter for HDMI or VGA/audio signal, transmission at 230ft/70m, PoH function.

[Read More](#)
SKU: 469






SKU: 470

SKU: 473





SKU: 474

- Inputs: 4 HDMI, 1DP, 1 VGA, 1 HDB output with Mirrored HDMI
- HDBcon technology, V50E, 70mW 1080p
- HDB 1.3, HDCP 2.2, max up to 170720x2048Kb/s
- Seamless switching
- De-embedded audio and volume adjustable
- One way PoC, from Tx to Rx
- Auto Switching (by IR/3DS detector)
- CEC and TCP/IP (G) control
- Includes one RS-TPM/138A
- PS2: 24V, 2.7A, locking DC
- Chassis dimension: W200 x H44 x D220mm

MUH44-H2 MATRIX SWITCHER

4×4 HDMI 2.0 Matrix w/ Audio Matrix

[Read More](#)
SKU: 471



4K 2D Matrix Switcher
RS-485 4x4 HDMI HDCP2.2
Matrix, audio out can be embedded from arbitrary input
Lip volume adjustment on each 1/4 output
RS-485 100Mbps down-streaming up to 2 outputs
x1 provides 2.0W to power Active Optical Cable (AOC)
Matrix by front panel, RS-485 and TCP/IP

WUH4-HUB SOFT CODEC WITH KVM

HDMI 2.0 4×1 Soft codec with KVM

[Read More](#)
SKU: 476



1. 4K 2D Matrix Switcher
2. RS-485 4x4 HDMI HDCP2.2
3. Matrix, audio out can be embedded from arbitrary input
4. Lip volume adjustment on each 1/4 output
5. RS-485 100Mbps down-streaming up to 2 outputs
6. x1 provides 2.0W to power Active Optical Cable (AOC)
7. Matrix by front panel, RS-485 and TCP/IP



SC-GRHU SWITCHER WITH KVM

HDMI 2.0 4×1 Switcher with KVM USB3.0

[Read More](#)

SKU: 475



Model	SC-GRHU
Product Name	4K HDMI 2.0 4x1 Switcher with KVM USB3.0
Input/Output	4x HDMI 2.0 Input, 1x HDMI 2.0 Output
Resolution	4K (3840x2160) @ 60Hz
Audio	4x 3.5mm Audio Input, 1x 3.5mm Audio Output
Control	Remote Control, Front Panel Buttons
Power	12V DC, 1A
Dimensions	150mm (W) x 100mm (H) x 30mm (D)
Weight	0.5kg
Warranty	3 Years

SCU41-MV SEAMLESS SWITCHER

4K 4×1 Seamless Switcher with Multi-view

[Read More](#)


SKU: 477



WUH4ARC-H2 HDMI SWITCHER

a HDMI 2.0 4×1 HDMI switcher with 4 HDMI inputs and 1 HDMI output.

[Read More](#)
SKU: 478



CE-MX44 HDMI MATRIX

- 4K compact-size 4x4 HDMI matrix.
- HDMI 1.4 and HDCP 2.2 support.
 - Resolution up to 4K@60Hz 4:2:0.
 - Smart EDID Management.
 - Buttons, RS232 and IR control.

[Read More](#)
SKU: 479



SUH4E-H2 HDMI SPLITTER

HDMI2.0 Splitter w/Down-scaling

- ITE solution, 1x4 splitter
- HDMI 2.0, HDCP2.2, 4K/60Hz 4:4:4, HDR
- Output 4K to 1080P auto down-scaling
- Built-in signal equalizer
- CEC control & 4-pin DIP switch for various EDID settings
- HDMI output support HDCP Active or Passive mode
- Up to 8 levels cascading

[Read More](#)

SKU: 480



TPUH701T HDMI WALLPLATE TRANSMITTER

HDMI2.0 wallplate transmitter

[Read More](#)

SKU: 482



UHBT404F KIT HDBASET MATRIX KIT



a 4X4 HDMI to HDBaseT matrix solution kit, included 4 receivers, 4 HDBaseT and 1 HDMI outputs. It support HDMI 1.4 and HDCP 2.2, can transmit 4K@60Hz 4:2:0 video up to 131ft/40m and 1080P up to 230ft/70m over a single CAT5e/6 cable, and support bi-directional IR extension. Multiple control by buttons, IR, RS232 and GUI.

[Read More](#)

SKU: 468



AOV HW1800HD HDMI無線影音傳送器

產品由發送器和接收器兩部分組成，可將HDMI高清信號從發送端無線傳送到接收端。

發送器支持一路HDMI鏡像輸出，方便源端畫面監視。

HDMI分辨率支持480i/576i~1080P@50/60Hz，SVGA~WUXGA多種常用電腦解像度。

採用國際通用2.4G/5G無線雙頻段傳輸信號，傳輸速度更快，抗干擾能力更強
採用外置雙增益天線，超長距離傳輸，空曠傳輸距離可達100米（*可能受使用環境影響）

支持紅外遙控遠程擴展，可在顯示端遠距離控制源端設備。

支持OSD顯示，隨時了解設備狀態。

純硬件模式，即插即用，連接電腦免安裝驅動。

支持WEB配置界面，簡潔易用。

[Read More](#)

SKU: 324



TPUH610SR + PSU HDMI2.0 EXTENDER OVER HDBT

HDMI2.0 extender over HDBT (Working together with TPUH701T)

[Read More](#)
SKU: 487



INDEX

A

ACHD-EX50 HDMI extender 1

AOV HW1800HD HDMI無線影音傳送器 10

B

BYOD-E Multiformat Presentation Switcher 5

C

CE-CVAD HDMI audio de-embedder 1

CE-MX44 HDMI matrix 8

H

HDBT800TV-4KU wall plate transmitter 3

HDBT850R HDBaseT Extender Receiver 3

HDBT850T HDBaseT Extender Transmitter 2

M

MUH44-H2 Matrix Switcher 6

P

PA40W digital amplifier 4

S

SC-GRHU Switcher with KVM 7

SC61TS-D KIT scaler switcher 5

SCU41-MV Seamless Switcher 7

SCU42T-CODEC Scaler Switcher 4

SUH4E-H2 HDMI Splitter 9

T

TPUH610SR + PSU HDMI2.0 extender over HDBT 11

TPUH701T HDMI wallplate transmitter 9

U

UHBT404F KIT HDBaseT matrix kit 10

W

WUH4-HUB Soft codec with KVM 6

WUH4ARC-H2 HDMI switcher 8

WUH4T HDBaseT Hub 2