

TABLE OF CONTENTS

電子設備 2

電子設備

CE-CVAD HDMI AUDIO DE-EMBEDDER

a small-size HDMI 2.0 audio de-embedder with 1 HDMI input, 1 HDMI output, and three kinds of audio outputs.

It is designed to extract audio from 4K HDMI signal via stereo balanced L/R audio, analog RCA, and coaxial digital audio output

ports. It supports 4K@60Hz 4:4:4 HDR, EDID & CEC pass-through, and the transmission rate is up to 18Gbps.

[Read More](#)
SKU: 481



ACHD-EX50 HDMI EXTENDER

a consumer HDMI extender, enable to distribute 1080P HDMI signal maximum to 180ft/55m by cat 6 cable, it supports 1 HDMI local out and bi-directional IR control, the POC function saves the power for the Rx, and build-in EDID makes it good compatibility.

[Read More](#)
SKU: 483



WUH4T HDBASET HUB

4K 4×1 HDBaseTHub

[Read More](#)
SKU: 465



4K/30Hz/4:4:4 and 1080p :
plant.
jgh.
switching.
up to 4K 40m and 1080p ;
rovides 24V PoC to power

eo output from either HDB
d RS232.

HDBT850T HDBASET EXTENDER TRANSMITTER

HDBT850 is an ultra-thin HDBaseT Extender set that consists of a transmitter (HDBT850T) and a receiver (HDBT850R), it enables to distribute 1080P HDMI signal up to 131ft/40m, 4K HDMI signal up to 230ft/70m over single CAT5e/6 cable. It supports CEC, bi-directional RS232&IR control, and bi-directional PoH function.

[Read More](#)
SKU: 466



HDBT850R HDBASET EXTENDER RECEIVER



HDBT850 is an ultra-thin HDBaseT Extender set that consists of a transmitter (HDBT850T) and a receiver (HDBT850R), it enables to distribute 1080P HDMI signal up to 131ft/40m, 4K HDMI signal up to 230ft/70m over single CAT5e/6 cable. It supports CEC, bi-directional RS232&IR control, and bi-directional PoH function.

[Read More](#)
SKU: 467



HDBT800TV-4KU WALL PLATE TRANSMITTER



a 2×1 wall plate transmitter for HDMI or VGA/audio signal, transmission at 230ft/70m, PoH function.

[Read More](#)
SKU: 469



PA40W DIGITAL AMPLIFIER

a compact-size digital amplifier (Class-D) with 3 inputs (2 line in and 1 balanced MIC). It is integrated with powerful functions, including bridge connection, dual-mono, EQ control, microphone mixer etc.

[Read More](#)
SKU: 470



SCU42T-CODEC SCALER SWITCHER

4k Scaler Switcher with soft codec

[Read More](#)
SKU: 473





BYOD-E MULTIFORMAT PRESENTATION SWITCHER

4K 4×1 Multifformat Presentation Switcher

[Read More](#)
SKU: 472



- 支援 4K 4×1 多格式多畫面切換
- 支援 4K 輸出
- 支援 HDMI、USB-C、Mini-DP 三種輸入介面
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機



SC61TS-D KIT SCALER SWITCHER

1080p 6×1 seamless scaler switcher with DP.

[Read More](#)
SKU: 474



- 支援 1080p 6×1 多格式多畫面切換
- 支援 1080p 輸出
- 支援 HDMI、USB-C、Mini-DP 三種輸入介面
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機
- 支援多種顯示器及投影機

MUH44-H2 MATRIX SWITCHER

4×4 HDMI 2.0 Matrix w/ Audio Matrix

[Read More](#)
SKU: 471



WUH4-HUB SOFT CODEC WITH KVM

HDMI 2.0 4×1 Soft codec with KVM

[Read More](#)
SKU: 476





SC-GRHU SWITCHER WITH KVM

HDMI 2.0 4×1 Switcher with KVM USB3.0

[Read More](#)

SKU: 475



Model	SC-GRHU
Product Type	4K HDMI 2.0 4x1 Switcher with KVM
Video Format	4K@60Hz, 1080p@60Hz, 1080p@30Hz, 720p@60Hz, 720p@30Hz, 480p@60Hz, 480p@30Hz
Audio Format	2CH, 4CH, 5.1CH, 7.1CH
Control	IR Remote Control, Front Panel Buttons, RS-232C, RS-485, DMX512, 12VDC
Power Supply	AC 100V-240V, 50/60Hz
Power Consumption	10W
Dimensions (W x H x D)	150 x 45 x 150 mm
Weight	0.5 kg

SCU41-MV SEAMLESS SWITCHER

4K 4×1 Seamless Switcher with Multi-view

[Read More](#)


SKU: 477



WUH4ARC-H2 HDMI SWITCHER

a HDMI 2.0 4×1 HDMI switcher with 4 HDMI inputs and 1 HDMI output.


[Read More](#)
SKU: 478



CE-MX44 HDMI MATRIX

- 4K compact-size 4x4 HDMI matrix.
- HDMI 1.4 and HDCP 2.2 support.
 - Resolution up to 4K@60Hz 4:2:0.
 - Smart EDID Management.
 - Buttons, RS232 and IR control.

[Read More](#)
SKU: 479



SUH4E-H2 HDMI SPLITTER

HDMI2.0 Splitter w/Down-scaling

- ITE solution, 1x4 splitter
- HDMI 2.0, HDCP2.2, 4K/60Hz 4:4:4, HDR
- Output 4K to 1080P auto down-scaling
- Built-in signal equalizer
- CEC control & 4-pin DIP switch for various EDID settings
- HDMI output support HDCP Active or Passive mode
- Up to 8 levels cascading

[Read More](#)

SKU: 480



TPUH701T HDMI WALLPLATE TRANSMITTER

HDMI2.0 wallplate transmitter

[Read More](#)

SKU: 482



UHBT404F KIT HDBASET MATRIX KIT



a 4X4 HDMI to HDBaseT matrix solution kit, included 4 receivers, 4 HDBaseT and 1 HDMI outputs. It support HDMI 1.4 and HDCP 2.2, can transmit 4K@60Hz 4:2:0 video up to 131ft/40m and 1080P up to 230ft/70m over a single CAT5e/6 cable, and support bi-directional IR extension. Multiple control by buttons, IR, RS232 and GUI.

[Read More](#)

SKU: 468



AOV HW1800HD HDMI無線影音傳送器



產品由發送器和接收器兩部分組成，可將HDMI高清信號從發送端無線傳送到接收端。

發送器支持一路HDMI鏡像輸出，方便源端畫面監視。

HDMI分辨率支持480i/576i~1080P@50/60Hz，SVGA~WUXGA多種常用電腦解像度。

採用國際通用2.4G/5G無線雙頻段傳輸信號，傳輸速度更快，抗干擾能力更強
採用外置雙增益天線，超長距離傳輸，空曠傳輸距離可達100米（*可能受使用環境影響）

支持紅外遙控遠程擴展，可在顯示端遠距離控制源端設備。

支持OSD顯示，隨時了解設備狀態。

純硬件模式，即插即用，連接電腦免安裝驅動。

支持WEB配置界面，簡潔易用。

[Read More](#)

SKU: 324



TPUH610SR + PSU HDMI2.0 EXTENDER OVER HDBT

HDMI2.0 extender over HDBT (Working together with TPUH701T)

[Read More](#)
SKU: 487



INDEX

A

ACHD-EX50 HDMI extender 1

AOV HW1800HD HDMI無線影音傳送器 10

B

BYOD-E Multiformat Presentation Switcher 5

C

CE-CVAD HDMI audio de-embedder 1

CE-MX44 HDMI matrix 8

H

HDBT800TV-4KU wall plate transmitter 3

HDBT850R HDBaseT Extender Receiver 3

HDBT850T HDBaseT Extender Transmitter 2

M

MUH44-H2 Matrix Switcher 6

P

PA40W digital amplifier 4

S

SC-GRHU Switcher with KVM 7

SC61TS-D KIT scaler switcher 5

SCU41-MV Seamless Switcher 7

SCU42T-CODEC Scaler Switcher 4

SUH4E-H2 HDMI Splitter 9

T

TPUH610SR + PSU HDMI2.0 extender over HDBT 11

TPUH701T HDMI wallplate transmitter 9

U

UHBT404F KIT HDBaseT matrix kit 10

W

WUH4-HUB Soft codec with KVM 6

WUH4ARC-H2 HDMI switcher 8

WUH4T HDBaseT Hub 2